

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: PROPARGITE 50% + BIFENTHRIN 5% SE
Use / description of product: Use as an agricultural/horticultural insecticide
Company name: INDOFIL INDUSTRIES LIMITED
Kalpataru Square, 4th Floor,
Kondivita Road, Off. Andheri Kurla Road, Andheri (E),
Mumbai 400 059, Maharashtra, India.
Email: customercare@indofil.com
Toll Free No.:1800-120-003-004

2. HAZARDS IDENTIFICATION

GHS Classification
Hazard Symbol:



Signal word:
Hazard statement(s):

DANGER

H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H331 Toxic if inhaled.
H351 Suspected of causing cancer.
H373 May cause damage to organs through prolonged
Or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/
spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this
product.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves/ eye protection/ face
protection.
P284 Wear respiratory protection.
P301 + P312 IF SWALLOWED: Call a POISON
CENTER or doctor/ physician if you feel unwell.
P302 + P352 IF ON SKIN: Wash with
plenty of soap and water.
P304 + P340 IF INHALED: Remove victim to fresh air
and keep at rest in a position comfortable for
breathing.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical name	CAS	%
Active ingredient (Propargite)	2312-35-8	50
Active ingredient (Bifenthrin)	82657-04-3	5
Other ingredients	-----	QS to make up 100

4. FIRST AID MEASURES

Most Important symptoms and effects, both acute and delayed

Skin contact

There may be mild irritation at the site of contact

Eye contact

There may be irritation and redness. The vision may become blurred

Ingestion

There may be soreness and redness of the mouth and throat

Description of first aid measures

In general

Never give fluids or induce vomiting if patient is unconscious or is having convulsions.

After Ingestion

Do not induce vomiting. Provided the patient is conscious, wash mouth with water and give plenty of water to drink. Consult a physician. The decision of whether to induce vomiting or not should be made by a physician.

After eye contact

Flush eyes thoroughly with water for several minutes. Remove contact lenses after initial 1-2 minutes and continue flushing for several additional minutes. If effects occur, consult a physician, preferably an ophthalmologist.

After skin contact

Immediately wash skin with soap and plenty of water. Consult a physician if irritation develops.

After Inhalation

Remove to fresh air. Consult a physician if irritation develops

Indication of any immediate medical attention and special treatment needed

Supportive care. No specific antidote. Treatment based on judgement of physician, in response to symptoms of patient.

5. FIRE-FIGHTING MEASURES

Extinguishing media:

Water spray. Carbon dioxide. Dry chemical powder.

Exposure hazards:

May form flammable / explosive mixture. In combustion emits toxic fumes of sulphur Oxides, nitrogen oxides, carbon dioxide / carbon monoxide.

Protection of fire-fighters:

Wear self-contained breathing apparatus. Run-off from fire control may be a pollution hazard. If area is not too heavily exposed to fire, and if conditions permit, let fire burn itself out, since water may increase the contamination hazard.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Eliminate all sources of ignition. Do not create dust.

Environmental precautions:

Do not discharge into drains or rivers. Contain the spillage using bunding.

Clean-up procedures:

Transfer to a closable, labelled salvage container for disposal by an appropriate method.

Do not use equipment in clean-up procedure which may produce sparks.

7. HANDLING AND STORAGE

Handling requirements:

Ensure there is sufficient ventilation of the area. Smoking is forbidden. Use non-sparking tools.

Storage conditions:

When handling do not eat, drink or smoke.

Store in cool, well-ventilated area. Keep away from sources of ignition. Keep container tightly closed. Keep in original containers, out of reach of children Never allow the product to become wet during storage. This may lead to chemical changes, which will reduce the effectiveness as a insecticide and could create flammable vapours.

Suitable packaging:

Must only be kept in original packaging.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures:

Ensure there is sufficient ventilation of the area. Ensure lighting and electrical equipment are not a source of ignition.

Respiratory protection:

Wear approved respirator.

Hand protection:

Protective gloves

Requirements can vary as a function of the use. Therefore, it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Eye protection:

Safety goggles.

Skin protection:

Mixers and loaders must wear overalls , protective goggles and chemical-resistant apron.

Applicators and other handlers must wear overalls, goggles and waterproof gloves. Any clothing or other absorbent material which has been drenched or heavily contaminated must be discarded.

9. PHYSICAL AND CHEMICAL PROPERTIES

State:

Liquid

Colour:

Off white to white

Odour:

Slight

Solubility in water:

Forms suspension in water

pH

6 – 7.5 (1% dispersion)

Flash Point

No data

10. STABILITY AND REACTIVITY

Stability:

Stable under normal conditions.

Conditions to avoid:

Excessive temperatures.

Hazardous decomp. products:

Decomposition will evolve toxic and Irritant vapors. Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke.

11. TOXICOLOGICAL INFORMATION

Hazardous ingredients:	PROPARGITE and BIFENTHRIN
<u>Acute toxicity (Assessment largely or completely based on data for active substance)</u>	
Acute Oral LD ₅₀ (Rat)	for Propargite tech. >2843 mg/kg (rat) for Bifenthrin 180 – 54.5 mg/kg (rats)
Acute Dermal LD ₅₀	for Propargite > 4000 mg/kg (rabbits) for Bifenthrin >2000 mg/kg (rabbit)
Acute Inhalation LD ₅₀	for Propargite >0.05 mg/l (4h) (rats) for Bifenthrin 1.01 mg/L (4h) (rat)
EYE Irritation (Rabbit)	Severe eye irritation.
SKIN Irritation (Rabbit)	Sever skin irritant
Skin Sensitization (Guinea Pig)	no skin sensitization

12. ECOLOGICAL INFORMATION

Ecotoxicity: (Assessment largely or completely based on data for active substance)

Aquatic toxicity :

Material is harmful to aquatic organisms.

Fish

LC₅₀ (96 h),

for Propargite : Rainbow Trout 0.118 mg/l (96h), Bluegill sunfish 0.168 mg/L; cat fisf 0.004 mg/L

for Bifenthrin : Rainbow Trout 0.00015 mg/l (96h), Bluegill sunfish 0.00035 mg/L

Honey Bees LD 50

Dietary

for Propargite : Mallard Duck > 4640 mg/kg; Bobwhite Quail 3401 mg/bee (48h)

Environmental Fate

Persistence and Degradability:

Half-life in soils is dependent on soil type and conditions and is approximately 6-20 days.

Bio-concentration potential is low.

Potential for mobility in soil is low.

13. DISPOSAL CONSIDERATIONS

Disposal operations:

Do not contaminate water, food or feed by disposal. Wastes resulting from the use of this product may be disposed of at an approved waste disposal facility.

Disposal of packaging:

Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION

U.S> Department of Transportation (DOT)

Bulk

UN no:

3082

Shipping name:

Propargite 50% + Bifenthrin 5% SE, Environmentally Hazardous Substance, solid, n.o.s.

Hazard Class:

9

Packing group:

III

SAFETY DATA SHEET
PROPARGITE 50% + BIFENTHRIN 5% SE
(DAMMU)

Page 5 of 5
Issued date:26.05.2021
Revised date: 04.08.2023
Revision No.:01
Ref: IIL/BFNPRGTE55SE

Land Transport (ADR / RID)

UN no: 3082
Shipping name: Propargite 50% + Bifenthrin 5% SE, Environmentally Hazardous Substance, solid, n.o.s.
Hazard Class: 9
Packing group: III

Marine Transport (IMDG / IMO)

UN no: 3082
Shipping name: Propargite 50% + Bifenthrin 5% SE, Environmentally Hazardous Substance, solid, n.o.s.
Hazard Class: 9
Packing group: III
Marine pollutant: Yes
EmS: F-A, S-F

Air transport (IATA / ICAO)

UN no: 3082
Shipping name: Propargite 50% + Bifenthrin 5% SE, Environmentally Hazardous Substance, solid, n.o.s.
Hazard Class: 9
Packing group: III
Cargo Packing instructions:

15. REGULATORY INFORMATION



Harmful or Irritant

Hazard symbol
Risk Phrase
Safety Phrase



Dangerous for environment

Xn, N
R21 Harmful in contact in skin
S2 Keep out of reach of children
S60 This material and its container must be disposed of as hazardous waste
S61 Avoid release to the environment. refer to special instructions/safety data sheets

16. OTHER INFORMATION

Legal disclaimer:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.