

#### **INDOFIL INDUSTRIES LIMITED** KOLSHET, OFF SWAMI VIVEKANAND ROAD, AZAD NAGAR, SANDOZ BAUG P.O.,

THANE – 400 607. MAHARASHTRA (INDIA) TEL. NO. : 00-91-22- 67999100 FAX NO. : 00-91-22-2589 83 57

# 2-R&D-MSDS-AGRO-FP-416

MATERIAL SAFETY DATA SHEET

SECTION 1: PRODUCT IDENTIFICATION					
Chemical		NIL + MANCOZEB		pany Identification	
Name	8%	+ 64% %		OFIL INDUSTRIES LIMITED	
				SHET, OFF SWAMI VIVEKANAND	
	WETTABLE POWDER		ROA		
				D NAGAR, SANDOZ BAUG P.O.,	
				NE – 400 607. MAHARASHTRA	
			(IND	,	
				NO.: 00-91-22-67999100	
Trade Name	MOXIMA		FAX	NO.: 00-91-22-2589 83 57	
Trade Name					
Synonyms	Cymoxan	il, Mancozeb	GRC	DUP: Aliphatic Nitrogen	
				ene Bis Dithiocarbamate	
IUPAC	Mancozel	o: manganese	CLA	SS: Fungicide	
		ois (dithiocarbamate)			
		complex with zinc salt			
		il : 1-(2-cyano-2-			
	methoxyiminoacetyl)-3-				
CAS Number	ethylurea. CYMOXANIL 57966-95-7				
CAS Number	MANCOZEB 8018-01-7				
Formula	CYMOXANIL C7H10N4O3				
	MANCOZEB (C4H6N2S4Mnx)Zny				
<b>SECTION 2:</b>	COMPO	SITION / INFORM	ATIO	N OF INGREDIENTS	
COMPONENT N	IAME	CAS REGISTRY NO		CONCENTRATION	
Cymoxanil		57966-95-7		8%	
Mancozeb	8018-01-7			64%	
	her Ingredients			28%	
SECTION 3: HAZARDS IDENTIFICATION					
EMERGENCY OVERVIEW					
-	Physical state : powder				
	Colour : yellow				
Odor : characteristic					
Harmful or fatal if swallowed - can enter lungs and cause damage					
Contact can cause eye or skin irritation					

### IMMEDIATE HEALTH EFFECTS

Eye contact	This material can cause eye irritation with tearing, redness or a stinging	
	or burning feeling	
Skin contact	Prolonged or repeated skin contact may cause irritation.	
Ingestion	Swallowing this material may be harmful. Swallowing this material may cause stomach or intestinal upset with pain , nausea , and / or diarrhea. This material can get into the lungs during swallowing or vomiting. Ingestion can cause temporary CNS depression, drowsiness, and changes in the liver and weight loss.	
Inhalation	Breathing high concentrations may be harmful. Inhalation can cause irritation of nose and throat	
DELAYED OR OTHE	ER HEALTH EFFECTS	
Target organs		

An "X" in the box adjacent to the hazard title indicates OSHA Hazard classification. If no "X" is present, the product does not exhibit the hazard as defined in the OSHA Hazard Communication standard (29 CFR 1910.1200)

OSHA Health Hazard Classification

**OSHA** Physical Hazard Classification

Toxic	ŀ	Highly Toxic		Flammable		Oxidizer	
Irritant		Sensitizer		Combustible			
Corrosive	С	arcinogenic		Explosive		Organic Peroxide	
				Pyrophoric		unstable	
				Organic peroxi	de	water-reactive	
SECTION	4: FIR	ST AID ME	EASU	RES			
Eye		-				olding with eyelids o	open. Get
				irritation persists			
Skin						move contaminated	
						nptoms develop. T	
						vater. Discard cont	aminated
		clothing and	shoes	or thoroughly cle	ean beto	re reuse.	

Ingestion	Call a physician or the poison control center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.
Inhalation	Immediately move victim to fresh air. If victim is not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention if breathing difficulties continue.
Notes to physician	Antidote none known

SECTION 5: FIR	E FIGHTING MEASURES
NFPA	
Flammability	
Classification	
NFPA RATINGS	Health: 1 Flammability :1 Reactivity: 1
OSHA	No data
classification	
Flash point	Not applicable
Flammability	Not applicable
(Explosive limits)	
Auto ignition	No data
Temperature	
Hazardous	No data
Combustion	
products	
Extinguishing	Small fire : Use dry chemicals , carbon dioxide , foam,
Media	Large fire : Use Foam , dry chemicals, carbon dioxide
Protection of Fire	Wear NIOSH / MSHA approved self-contained breathing apparatus and
Fighters	full protective clothing. Water can release flammable carbon disulfide
Ou solo Dus vertises	from Mancozeb. Contain water run-off
Special Properties	Unusual fire and explosion hazards. In fire situations, toxic oxides of nitrogen, oxides of sulfur, ethylene
	thiourea and toxic and flammable carbon disulfide can be released.
SECTION 6: AC	CIDENTAL RELEASE MEASURES
Protective	Eliminate all sources of ignition in the vicinity of the spill. If this material
Measures	is released into the work area, evacuate the area immediately.
พเธออนเธอ	
Spill Management	Wear a NIOSH/MSHA approved dust respirator and all appropriate
opin management	protective equipment. Do not touch or walk through spilled material.
	Prevent spilled material from entering waterways, sewers, basements or
	confined areas. Clean up spill as soon as possible. Where feasible and
	appropriate, remove contaminated soil. Place contaminated materials in
	disposable containers and dispose of in a manner consistent with
	applicable regulations.

<b>SECTION 7:</b>	HANDLING AND STORAGE
Handling	A spill can cause an immediate fire or explosion hazard. Keep containers closed and do not handle or store near heat, sparks or any other potential ignition sources. Use only with adequate ventilation and personal protection. Avoid contact with eyes, skin, and clothing. Prevent contact with food and tobacco products. Do not reuse empty bag. When performing repairs and maintenance on contaminated equipment, Keep unnecessary persons away from area. Eliminate all potential ignition sources. Use gloves constructed of impervious materials and protective clothing if direct contact is anticipated. Provide adequate ventilation. Promptly remove contaminated clothing. Wash exposed skin thoroughly with soap and water after handling.
Storage	Store and transport in accordance with all applicable laws. Keep containers tightly closed and store in a cool, dry, well-ventilated place, plainly labeled and out of closed vehicles. Keep away from all ignition sources. All electrical equipment in areas where this material is stored or handled should be installed in accordance with applicable regulatory requirements and the national electrical code.

SECTION 8:	EXPOSURE CONTROLS / PERSONAL PROTECTION
Engineering controls	Provide exhaust ventilation or other engineering controls. An emergency eye wash station and safety shower should be located near the work-station .
Personal Protective Equipment	<b>Eye Protection:</b> Wear eye protection such as safety glasses, chemical goggles, or face shields if engineering controls or work practices are not adequate to prevent eye contact. Contact lenses should not be worn when working with this chemical
	<ul> <li>Hand protection: Avoid skin contact .Use gloves. Wash hands with plenty of mild soap and water before eating, drinking, use of toilet facilities or leaving work.</li> <li>Body protection: Avoid skin contact. Wear long-sleeved fire-retardant garments. Additional chemical-resistant protective gear may be required. This may include an apron, boots and additional facial protection.</li> <li>Respiratory Protection: Dust / mist filtering respirator or a NIOSH approved respirator.</li> <li>Work practices: users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible wash thoroughly and change into clean clothing. Deluge safety shower and eye wash station should be located in work area</li> </ul>
Occupational ex	

#### Occupational exposure limits

Component	Limit		
Mancozeb	ACGIH	Not determined (threshold limit value)	
Mancozeb	OSHA	Not determined (Permissible exposure limit)	
Cymoxanil	OSHA	Not determined	
Cymoxanil	ACGIH	Not determined	

SECTION 9: PH	SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES				
Physical state	Solid powder	Colour	Yellow		
Odor	Characteristic	pH (1%)	6 to 7.5		
Specific gravity	Not applicable	Solubility in water	Forms Suspension in water		
Vapor pressure	NA	Vapor density	NA		
Viscosity	NA	Boiling point	NA		
Melting / Freezing point	NA				

SECTION 10: STABIL	ITY AND REACTIVITY		
Chemical stability	This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.		
Conditions to Avoid	Keep away from heat, flame and other potential ignition sources. Keep away from strong oxidizing conditions and agents.		
Material Incompatibility	May react with strong oxidizing agents.		
Hazardous Decomposition Products	Oxides of nitrogen, sulfur, ethylene thiourea, carbon disulfide.		
Hazardous Polymerization	Will not occur		

SECTION 11: TOXICOLOGICAL INFORMATION		
Acute Oral toxicity	LD50 (Rats) > 300 mg/kg	
Acute Dermal toxicity	> 2000 mg/kg	
Acute Inhalation toxicity > 1.55 mg/L		
Eye irritation: This material is mild-irritant to eyes		
Skin irritation: This material is non-irritant		

<b>SECTION 12:</b>	ECOLOGICAL INFORMATION
Ecotoxicity	This product is toxic to fish and aquatic invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters. Dispose of all excess treated seed-pieces and seed packaging by burial away from bodies of water.
Environmental	No data
fate	

## SECTION 13: DISPOSAL CONSIDERATIONS

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR part 261) or other state and local regulations.

Dispose of empty, used containers in approved incineration plant in approved land filling area or in a disposal pit away from desirable plants and their roots and water courses. On-site disposal of undiluted product is unacceptable.

Disposal Should be in accordance with local state or national legislation. Remove to a safe location and bury on an authorized landfill site. Do not burn empty containers or Product.

SECTION 14: TRANSPORT INFORMATION				
	Not regulated as a hazardous material by any mode of			
	transportation.			
	It is Marine Pollutant			
	Export water (IMO) : Not regulated			
	Air (ICAO / IATA) : Not regulated			
DOT Shipping Name	DOT Technical Name: Mancozeb Technical and Cymoxanil			
	Technical			
DOT Hazard class	Class: 9 UN Number: 3077			
DOT identification number	No data			
DOT packing Group	Packaging Group: 3			
DOT additional information	No data			

SECTION 15: REGULATORY INFORMATION				
TSCA Inventory	No data			
SARA 311/312 Hazard Identification	Immediate ( acute) health effects: yes Delayed ( chronic) health effects : yes Reactive: yes This product contains the substances subject to the reporting requirements of SARA title 3, section 313 and 40 CFR part 372.			
SARA 302/304 Emergency planning and notification	No data			
SARA 313 Toxic chemical notification and Release reporting	This product contains the following components in concentrations above that are listed as toxic chemicals in 40 CFR part 372 pursuant to the requirements of section 313 of SARA.			
CERCLA	No data			
Clean air act (CAA)	Not applicable			

SECTION 16: OTHER INFORMATION						
NFPA RATINGS	Health : 1	Flammability :1	Reactivity :1			
HMIS RATINGS	Health : 1	Flammability :1	Reactivity :1			
	0 = Least 1= slight 2= Moderate 3= High 4=Extreme					

## ABBREVIATIONS

STEL	Short term exposure limit	
ACGIH	American conference of Government Industrial Hygienists	
NIOSH	National institute of safety and health	
SARA	Super fund Amendments and Reauthorization Act	
TWA	Time weighted average	
OSHA	Occupational safety and health	
NFPA	National Fire protection agency	
HMIS	Hazardous Materials information system	
RCRA	Resource conservation Recovery act	
TSCA	Toxic substance Control Act	
WHMIS	Work place Hazardous Materials information system	
IRAC	International Agency for Research on Cancer	

## MANUFACTURE'S / SUPPLIER'S DATA

Name of Firm : INDOFIL INDUSTRIES LIMITED				
Mailing Kolshet, Off Swami Vivekanand Road, Address : Azad nagar, Sandoz Baug P.O. Thane – 400 607.		Gat No. 194, Village – Gahunje, Tal. Maval, Dist. Pune.		
Telephone 67999100	Telex		Telephone 22767 5084	
Fax 589 8357	Telegraphic Code		Fax 22767 5083	
Local Bodies Involved	Collector of Th	nane		

#### DISCLAIMER

The Information contained in this material data sheet is believed to be reliable but no representation, guarantee or warranties, of any kind are made as to its accuracy, suitability for a particular application or results to be obtained from them. It is however ensures that the information contained in the material safety data sheet is relevant to the product manufactured / handled or sold as the case may be by us. Indofil Industries Limited makes no warranty expressed or implied in respect of the adequacy of this document for any particular purpose.

Last updated: 14/03/2015