

INDOFIL INDUSTRIES LIMITED

KOLSHET, OFF SWAMI VIVEKANAND ROAD, AZAD NAGAR, SANDOZ BAUG P.O., THANE – 400607. MAHARASHTRA (INDIA)

TEL. NO.: 00-91-22-6799 9100 FAX NO.: 00-91-22-2589 83 57 / 59

MATERIAL SAFETY DATA SHEET

2-R&D-MSDS-AGRO-FP-468

SECTION 1.	PRODUCT IDENTIFICAT	ION
Chemical Name	CARBENDAZIM 25% + MANCOZEB 50% WS	Company Identification INDOFIL INDUSTRIES LIMITED KOLSHET,OFF SWAMI VIVEKANAND ROAD, AZAD NAGAR, SANDOZ BAUG P.O., THANE – 400 607. MAHARASHTRA (INDIA) TEL. NO.: 00-91-22-6799 9100 FAX NO.: 00-91-22-2589 83 57 / 59
Trade Name	SPRINT	
Synonyms	Carbendazim, Mancozeb	GROUP: Benzimidazole Fungicide Alkylene bis dithiocarbamte Fungicide
IUPAC	Methyl benzimidazol-2- ylcarbamate Manganese ethylene (dithiocarbamate) (polymeric) complex with zinc salt	CLASS: Fungicide
CAS Number	10605-21-7 and 8018-01-7	
Formula	C ₉ H ₉ N ₃ O ₂ (C ₄ H ₆ N ₂ Mn S ₄) _x (Zn) _y	

SECTION 2. COMPOSITION / INFORMATION OF INGREDIENTS

COMPONENT NAME	CAS REGISTRY NO	CONCENTRATION
Mancozeb	8018-01-7	50%
Carbendazim	10605-21-7	25%
Other ingredients	-	25%

SECTION 3. HAZARDS IDENTIFICATION				
EMERGENCY OVERVIEW Physical state : Powder Colour : Blue Powder Odor : Characteristics Harmful or fatal if swallowed – It can enter lungs and cause damage Contact can cause eye or skin irritation IMMEDIATE HEALTH EFFECTS				
Eye contact	Moderately irritation	•		
Skin contact Ingestion	Repeated or prolonged contact can cause irritation or dermatitis. Swallowing this material may be harmful. Swallowing this material may cause stomach or intestinal upset with pain, nausea, and / or diarrhea. This material can get into the lungs during swallowing or vomiting. Ingestion can cause temporary CNS depression, drowsiness, and changes in the liver and weight loss.			
Inhalation	Inhalation of vapors	can irritate the nose and throat		
Emergency Treatment	Move the subject to	fresh air, rest and seek medical aid.		
DELAYED OR OTHE	R HEALTH EFFEC	CTS		
Target organs				
	An "X" in the box adjacent to the hazard title indicates OSHA Hazard classification. If no "X" is present, the product does not exhibit the hazard as defined in the OSHA Hazard Communication			
OSHA Health Hazard C	Classification	OSHA Physical Hazard Classification		
Toxic Highly Toxic		Flammable X Oxidizer		
Irritant Sensitizer		Combustible		
Corrosive Carcinogenic		Explosive Organic Peroxide		
		Pyrophoric unstable		
	Organic peroxide water-reactive			
SECTION 4: FIRST AID MEASURES				
Eye		nty of water for at least 15 minutes and see doctor		
Skin	Wash skin with wa and shoes. Get me the material from	ater immediately and remove contaminated clothing dical attention if any symptoms develop. To remove skin, use soap and water. Discard contaminated or thoroughly clean before reuse.		

Ingestion	Call a physician or the poison control center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.
Inhalation	Immediately move victim to fresh air. If victim is not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention if breathing difficulties continue.
Notes to physician	Antidote not known

SECTION 5 : FIRE FIGHTING MEASURES				
NFPA Flammability				
Classification				
NFPA RATINGS	Health: 1 Flammability: 1 Reactivity: 1			
OSHA classification				
Flash point	Not applicable			
Flammability	Not applicable			
(Explosive limits)				
Auto ignition	No data			
Temperature (°C)				
Hazardous	No data			
Combustion				
products				
Extinguishing Media	Dry chemical powder, CO ₂ , Water, Water Spray			
Protection of Fire	Wear NIOSH / MSHA approved self-contained breathing apparatus and			
Fighters	full protective clothing. Water can release flammable carbon disulfide			
On a sight Brown suffice	from Mancozeb. Contain water run-off.			
Special Properties	Unusual fire and explosion hazards			
	In fire situations, toxic oxides of nitrogen, oxides of sulfur, ethylene thiourea and toxic and flammable carbon disulfide can be released.			
Unusual Hazards	Fire produces toxic and flammable products. Hydrogen sulfide, CS2,			
Ollusuai Hazai us	Oxides of Sulfur, Nitrogen and Carbon.			
SECTION 6 · ACC	CIDENTAL RELEASE MEASURES			
Protective	Eliminate all sources of ignition in the vicinity of the spill. If this material			
Measures	is released into the work area, evacuate the area immediately.			
เพเซนอนเ ซอ	in the second and the many of an area minimediately.			
Spill Management	Wear a NIOSH/MSHA approved dust respirator and all appropriate protective equipment. Do not touch or walk through spilled material. Prevent spilled material from entering waterways, sewers, basements or confined areas. Clean up spill as soon as possible. Where feasible and appropriate, remove contaminated soil. Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations.			

SECTION 7: HAN	IDLING AND STORAGE
Handling	A spill can cause an immediate fire or explosion hazard. Keep containers closed and do not handle or store near heat, sparks or any other potential ignition sources. Use only with adequate ventilation and personal protection. Avoid contact with eyes, skin, and clothing. Prevent contact with food and tobacco products. Do not reuse empty bag When performing repairs and maintenance on contaminated equipment, Keep unnecessary persons away from area. Eliminate all potential ignition sources. Use gloves constructed of impervious materials and protective clothing if direct contact is anticipated. Provide adequate ventilation. Promptly remove contaminated clothing. Wash exposed skin thoroughly with soap and water after handling.
Storage	Store and transport in accordance with all applicable laws. Keep containers tightly closed and store in a cool, dry, well-ventilated place, plainly labeled and out of closed vehicles. Keep away from all ignition sources. All electrical equipment in areas where this material is stored or handled should be installed in accordance with applicable regulatory requirements and the national electrical code.

SECTION 8: F	XPOSURE CONTROLS / PERSONAL PROTECTION
Engineering controls	Provide exhaust ventilation or other engineering controls. An emergency eye wash station and safety shower should be located near the work-station.
Personal Protective Equipment	Eye Protection: Wear eye protection such as safety glasses, chemical goggles, or face shields if engineering controls or work practices are not adequate to prevent eye contact. Contact lenses should not be worn when working with this chemical
	Hand protection: Avoid skin contact .Use gloves. Wash hands with plenty of mild soap and water before eating, drinking, use of toilet facilities or leaving work. Body protection: Avoid skin contact. Wear long-sleeved fire-retardant garments. Additional chemical-resistant protective gear may be required. This may include an apron, boots and additional facial protection. Respiratory Protection: Wear suitable respirators where exposure limits are exceed. An air-supplied respiratory protection must confirm to OSHO rules as specified in 29 CFR1910.134. Skin Protection: Wear insulated neoprene gloves for handling the material select in accordance with OSHO 29 CFR 1910.133. Work practices: users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible wash thoroughly and change into clean clothing. Deluge safety shower and eye wash station should be located in work area

Occupational exposure limits

Occupational exposure limits					
Component	Li	mit			
Mancozeb	A	CGIH	Not determined	d (threshold	
			limit value		
Mancozeb	0	SHA	Not determined	d (Permissible	
			exposure limit)		
Carbendazim	O	SHA	Not determined	d l	
Carbendazim	A	CGIH	Not determined	t l	
SECTION 9: F	Ή	YSICAL A	AND CHEMIC	CAL PROPE	RTIES
Physical state		Solid Powe	der	Appearance	Blue Powder
Odor		Characteri	stics odour	pH (1%)	6 to 7.5
Bulk density		0.35 ± 0.02	2 gm/ml	Solubility in	Suspension in water
				water @	
Vapor pressure		NA		Vapor	NA
@ (mm Hg)				density	
Viscosity		NA		Boiling point	NA
Melting point		NA			
(°C)					

SECTION 10: STABILITY AND REACTIVITY			
Chemical stability	This material is considered stable under normal ambient and		
	anticipated storage and handling conditions of temperature and pressure.		
Conditions to Avoid	Keep away from heat, flame and other potential ignition		
	sources. Keep away from strong oxidizing conditions and		
	agents.		
Hazardous	May react with strong oxidizing agents.		
Decomposition Products			
Hazardous	Oxides of nitrogen, sulfur, ethylene thiourea, carbon disulfide.		
Polymerization			
	Will not occur		

SECTION 11: TOXICOLOGICAL INFORMATION		
Acute Oral toxicity	ORAL LD50 not determined for combination product	
	LD 50 for Mancozeb technical is > 5000 mg/kg (rats)	
	LD 50 for Carbendazim technical is > 15000 mg/kg (rats)	
Acute Dermal toxicity	LD 50 for Mancozeb technical >2000 mg/kg (rabbits)	
•	LD50 for Carbendazim technical > 2000 mg/kg (rats)	
	> 10000 mg/kg (rabbits)	
Acute Inhalation toxicity	LC50 (4 h) for rats, rabbits, guinea pigs or cats, no effect with	
-	suspension (10 g/l) water	
Eye irritation: No irritation		
Skin irritation: No irritation		

SECTION 12:ECOLOGICAL INFORMATION

Ecotoxicity

This product is toxic to fish and aquatic invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters. Dispose of all excess treated seed-pieces and seed packaging by burial away from bodies of water. For Carbendazim technical:

Birds: Acute oral LD₅₀ for quail 5826-15595 mg / kg.

Fish: LC_{50} (96 h) for carp 0.61, rainbow trout 0.83 mg / l.

Bees: Not toxic to bees.

Daphnia: EC₅₀ (48 h) 0.13-0.22 mg / l.

Environmental fate

Considering Carbendazim technical, environmental fate is:

Animals: In male rats, following single oral administration of 3 mg / kg, 66% was eliminated in the urine within 6 hours.

Plants: Readily absorbed by plants. One degradation product is 2-aminobenzimidazole.

Soil and water: 2-Aminobenzimidazole has been found as a minor metabolite. Half-life in soil is 8-32 d under outdoor conditions. Carbendazim decomposes in the environment with half-lives of 6 to 12 months on bare soil, 3 to 6 months on turf, and 2 and 25 months in water under aerobic and anaerobic conditions respectively. It is mainly decomposed by microorganisms. 2-Amino-benzimidazole is a major degradation product and is further decomposed by microbial activity. K_{oc} 200-250.

SECTION 13: DISPOSAL CONSIDERATIONS

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR part 261) or other state and local regulations .

Dispose of empty, used containers in approved incineration plant in approved land filling area or in a disposal pit away from desirable plants and their roots and water courses. On-site disposal of undiluted product is unacceptable.

Disposal should be in accordance with local state or national legislation. Remove to a safe location and bury on an authorized landfill site. Do not burn empty containers or Product.

SECTION 14: TRANSPORT INFORMATION		
IATA Shipping Name	DOT Technical Name: Mancozeb Technical and	
	Carbendazim Technical	
IATA Hazard class	9	
IATA identification number	3077	
IATA packing Group	III	
IATA additional information	No data	

SECTION 15: REGULATORY INFORMATION		
TSCA Inventory	No data	
SARA 311/312 Hazard	Immediate (acute) health effects: yes	
Identification	Delayed (chronic) health effects: yes	
	Reactive: yes	
	This product contains the substances subject to the reporting requirements of SARA title 3, section 313 and 40 CFR part 372.	
SARA 302/304 Emergency	No data	
planning and notification		
SARA 313 Toxic chemical	This product contains the following components in	
notification and Release	concentrations above that are listed as toxic chemicals in 40	
reporting	CFR part 372 pursuant to the requirements of section 313 of	
	SARA.	
CERCLA	No data	
Clean air act (CAA)	Not applicable	

SECTION 16: OTHER INFORMATION							
NFPA RATINGS	Health : 1	Flammability :	Reactivity :				
HMIS RATINGS	Health :	Flammability :	Reactivity :				
	0= Least 1= slight 2= Moderate 3= High 4=Extreme						
ABBREVIATIONS							

STEL	Short term exposure limit			
ACGIH	American conference of Government Industrial Hygienists			
NIOSH	National institute of safety and health			
SARA	Super fund Amendments and Reauthorization Act			
TWA	Time weighted average			
OSHA	Occupational safety and health			
NFPA	National Fire protection agency			
HMIS	Hazardous Materials information system			
RCRA	Resource conservation Recovery act			
TSCA	Toxic substance Control Act			
WHMIS	Work place Hazardous Materials information system			
IRAC	International Agency for Research on Cancer			

MANUFACTURE'S / SUPPLIER'S DATA

Name of Firm: INDOFIL INDUSTRIES LIMITED		
Mailing Kolshet, Off Swami Vivekanand Road, Address: Azad nagar, Sandoz Baug P.O.	Gat No. 194, Village – Gahunje,	
	• •	
Thane – 400 607.	Tal. Maval,	

				Dist. Pune.	
Telephone	67999100	Telex		Telephone 020 767 5084	
Fax	2589 8357	Telegraphic Code		Fax 22767 5083	
Local Bodie	es Involved	Collector of Th	nane		

DISCLAIMER

The Information contained in this material data sheet is believed to be reliable but no representation, guarantee or warranties, of any kind are made as to its accuracy, suitability for a particular application or results to be obtained from them. It is however ensures that the information contained in the material safety data sheet is relevant to the product manufactured / handled or sold as the case may be by us. INDOFIL INDUSTRIES LIMITED makes no warranty expressed or implied in respect of the adequacy of this document for any particular purpose.

06/08/2009