

Sitara® Hexaconazole 5% EC (Systemic Fungicide)

Chemical Composition: Hexaconazole Tech : (Based on 92% w/w a.i.) : 5.500% w/w, Emulsifier : a) Styrenated phenol Ethylene oxide condensate : 5.000% w/w, b) Dodecyl benzene sulfonic acid Ca salt : 5.000%W/W, Solvent (Aromax) : 84.500% w/w, **Total :100.000% W/W.** **Direction of use :** Please read enclosed leaflets before use.

Recommendation : It is recommended to control Scab of Apple, Blast and Sheath blight of Rice, Tikka of Groundnut, Powdery mildew of Mango, Rust of Soybean, Blister blight of Tea and Powdery mildew of Grapes only. **Precaution :** 1. Keep away from foodstuffs, empty foodstuff containers and animals food. 2. Avoid contact with mouth, eyes and skin. 3. Avoid inhalation the spray mist. Spray in the direction of wind. 4. Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not smoke, drink, eat and chew anything while spraying. 6. Wear full protective clothing while mixing and spraying. **Antidote :** No specific antidote is known. Treat symptomatically. **"Keep in cool, dry place away from heat and open flame".**

सितारा हेक्साकोनाजोल ५ प्रतिशत विलेय सान्द्रण (अंतःप्रवाही फफूंदनाशक)

रासायनिक संरचना: हेक्साकोनाजोल टैक्निकल (भारानुसार ९२% स.त. पर आधारित) : ५.५००% भार/भार, इमलिसिफायर : अ) स्टाइरिनेटेड फिनाइल इथिलीन आक्साइड कन्डेंसेट : ५.०००% भार/भार, ब) डोडेसिल बेंजीन सल्फोनिक एसिड कैल्शियम सॉल्ट : ५.०००% भार/भार, घोलक (एरोमेक्स): ८४.५००% भार/भार, योग: १००.०००% भार/भार. **उपयोग के लिए निर्देश:** उपयोग से पहले संलग्न लीफलेट पढ़ें। **उपयोग:** इस फफूंदनाशक का उपयोग सेब के पामा धान का सहसमामरी, अंगमारी, भूगफली का टिकका, आम का चूर्ण आसिता, सोयाबीन का गेरुआ, चाय का फफोला अंगमारी और अंगूर का चूर्ण असिता रोग के रोगधाम हेतु किया जाता है। **प्रयोगकर्ताओं के लिए सावधानियाँ:** १. खाद्यसामग्री, खाद्य सामग्री के खाली बर्तन और पशुओं के चारे से दूर रखें। २. मुँह, त्वचा और आँखों के सम्पर्क से बचायें। ३. छिड़काव की वाष्प को सांस द्वारा अन्दर जाने से बचायें। हवा की दिशा में छिड़काव करें। ४. छिड़काव के बाद दूषित कपड़ों और शरीर के अंगों को अच्छी तरह धोएँ। ५. छिड़काव के समय धुप्रधान, खाना, पीना और कुछ चबाना नहीं चाहिए। ६. छिड़काव करते या मिलाते समय पूर्ण सुरक्षात्मक कपड़े पहनें। **विष नाशक:** कोई विशिष्ट विषनाशक नहीं है। लक्षणानुसार इलाज करें। **"सूखी और ठंडी जगह पर आग से दूर रखें।"**

सितारा हेक्साकोनाजोल ५% एसि (अंतःप्रवाही फफूंदनाशक)

रसायनिक संरचना: हेक्साकोनाजोल टैक्निकल (92% w/w a.i.) : 5.500% w/w, Emulsifier : a) Styrenated phenol Ethylene oxide condensate : 5.000% w/w, b) Dodecyl benzene sulfonic acid Ca salt : 5.000%W/W, Solvent (Aromax) : 84.500% w/w, **Total :100.000% W/W.** **Direction of use :** Please read enclosed leaflets before use.

Recommendation : It is recommended to control Scab of Apple, Blast and Sheath blight of Rice, Tikka of Groundnut, Powdery mildew of Mango, Rust of Soybean, Blister blight of Tea and Powdery mildew of Grapes only. **Precaution :** 1. Keep away from foodstuffs, empty foodstuff containers and animals food. 2. Avoid contact with mouth, eyes and skin. 3. Avoid inhalation the spray mist. Spray in the direction of wind. 4. Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not smoke, drink, eat and chew anything while spraying. 6. Wear full protective clothing while mixing and spraying. **Antidote :** No specific antidote is known. Treat symptomatically. **"Keep in cool, dry place away from heat and open flame".**

सितारा हेक्साकोनाजोल ५% एसि (अंतःप्रवाही फफूंदनाशक)

रसायनिक संरचना: हेक्साकोनाजोल टैक्निकल (92% w/w a.i.) : 5.500% w/w, Emulsifier : a) Styrenated phenol Ethylene oxide condensate : 5.000% w/w, b) Dodecyl benzene sulfonic acid Ca salt : 5.000%W/W, Solvent (Aromax) : 84.500% w/w, **Total :100.000% W/W.** **Direction of use :** Please read enclosed leaflets before use.

Recommendation : It is recommended to control Scab of Apple, Blast and Sheath blight of Rice, Tikka of Groundnut, Powdery mildew of Mango, Rust of Soybean, Blister blight of Tea and Powdery mildew of Grapes only. **Precaution :** 1. Keep away from foodstuffs, empty foodstuff containers and animals food. 2. Avoid contact with mouth, eyes and skin. 3. Avoid inhalation the spray mist. Spray in the direction of wind. 4. Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not smoke, drink, eat and chew anything while spraying. 6. Wear full protective clothing while mixing and spraying. **Antidote :** No specific antidote is known. Treat symptomatically. **"Keep in cool, dry place away from heat and open flame".**

®-Registered Trademark of INDOFIL INDUSTRIES LIMITED, Mumbai, India.
 Regn. No. : CIR-38,085/219/2002-HEXAACONAZOLE (EC)-103 Mfg. Lic. No. : GJ-PAN-01048
 रजि. नं.: सी.आय.आर - ३८,०८५/२१९/२००२-हेक्साकोनाजोल (ई सी)-१०३ उत्पादन लाइसंस नं.: जीजे-पीएन-०१०४८

Manufactured & Marketed by: Indofil Industries Limited,
Regd. Office : Kalpataru Square, 4th Floor, Kondivita Road, Off Andheri-Kurla Road, Andheri (East), Mumbai - 400 059
 उत्पादक एवं विक्रेता : इंडोफिल इण्डस्ट्रीज लिमिटेड,
 रजि.ऑफिस : कल्पतरु स्क्वेअर, ४थी मंजिल, कोन्डीविटा रोड, ऑफ अन्धेरी-कुर्ला रोड, अन्धेरी (पूर्व), मुंबई-४०० ०५९
Factory : Plot No. 104-1-A, GIDC Halol-2, Dist. - Panchmahal - 389350, Gujarat
फैक्टरी : प्लॉट नं. १०४-१-ए, जीआयडीसी हालोल-२, जि.- पंचमहाल - ३८९३५०, गुजरात

Batch No. : / बैच नं.:
Mfg. Date : / उत्पादन तिथि :
Exp. Date : / समापन तिथि :
Maximum retail price ₹ : inclusive of all taxes
अधिकतम खुदरा मूल्य ₹ : सभी करों सहित
Unit sale price per litre ₹ :

For any complaint contact
 Customer Care Cell at
 Indofil Industries Limited,
 Kalpataru Square, 4th Floor,
 Kondivita Road, Off Andheri-
 Kurla Road, Andheri (East),
 Mumbai - 400 059.
 Toll Free No. :
 1800-120-003-004, email :
 customercare@indofil.com

Manufactured & Marketed by:
INDOFIL INDUSTRIES LIMITED

