COPPER OXYCHLORIDE 50% WP

TRUCOP®

CONTACT FUNGICIDE

कॉपर ऑक्सीक्लोराईड ५०% डब्ल्यू पी

ट्रूकॉप

स्पर्शजन्य बुरशीनाशक

Manufactured & Marketed by : Indofil Industries Limited,
Regd. Office : Kalpataru Square, 4th Floor, Kondivita Road, Off Andheri-Kurla Road, Andheri (East), Mumbai - 400 059

उत्पादक व विक्रेता : इंडोफिल इण्डस्ट्रीज़ लिमिटेड,
रजि. ऑफ़िस: कल्पतरू स्क्वेअर, ४थी मंजिल, कोन्डीविटा रोड, ऑफ अन्धेरी–कुर्ला रोड, अन्धेरी (पूर्व), मुंबई – ४०० ०५९

Factory : Unit SS - C/o S.S. Crop Care Limited,
Shed No. -10, Industrial Area, Govindpura, Bhopal (M.P.) - 462023,
Unit G - Plot No. 2201,2202,2336,2337,
G.I.D.C., Panoli, Taluka: Ankleshwar, Dist.: Bharuch,
Gujarat - 394 116

फैक्टरी : युनिट एसएस – C/o एस. एस. क्रॉप केअर लिमिटेड,
शेड नं. –१०, इंडस्ट्रियल एरीया, गोविन्दपुरा, भोपाल (म.प्र.) – ४६२०२३,
युनिट जी – प्लॉट नं. २२०१,२२०२,२३३६,२३३७,
जी.आय.डी.सी., पानोली, ता.: अंकलेश्वर, जि.: भरूच,
गुजरात – ३९४ ११६

For identification of Factory please see first Alphabet of Batch No.

फैक्टरी की पहचान के लिय बैच नंबर का पहला अक्षर देखे

® – Registered Trademark of INDOFIL INDUSTRIES LIMITED, Mumbai, India

For any complaint contact Customer Care Cell at Indofil Industries Limited, Kalpataru Square, 4th Floor, Kondivita Road, Off Andheri-Kurla Road, Andheri (East), Mumbai - 400 059.Toll Free No. : 1800-120-003-004, email : customercare@indofil.com

Manufactured & Marketed by:

INDOFIL INDUSTRIES LIMITED

Regd. Office : Kalpataru Square, 4th Floor, Kondivita Road, Off Andheri-Kurla Road, Andheri (East), Mumbai - 400 059

10-21

COPPER OXYCHLORIDE 50% WP

TRUCOP® **(Contact Fungicide)**

It is a highly effective fungicide based on coper oxychloride containing 50% w/w copper content and balance adjuvants

Recommendations :

Crop (s)	Common names of Diseases	Dosage / Ha A.I. (Kg.)	Formulation (Kg)	Dilution in Water (Ltr)	Waiting Period between last spray to harvest (in Days)
Banana	Leaf spot	1.25	2.5	750-1000	—
	Fruit rot	1.25	2.5	750-1000	—
Betel	Leaf spot	1.25	2.5	750-1000	—
	Foot rot	1.25	2.5	750-1000	—
Chillies	Fruit rot	1.25	2.5	750-1000	—
	Leaf spot	1.25	2.5	750-1000	—
Citrus	Canker	1.25	2.5	750-1000	—
	Foot rot	1.25	2.5	750-1000	—
Cardamom	Clump rot	1.87-3.75	3.75-5.5	750-1000	—
	Leaf rot	1.25	2.5	750-1000	—
Coffee	Black rot	1.87-3.75	3.75-7.5	750-1000	—
	Rust	1.87-3.75	3.75-7.5	750-1000	—
Cumin	Blight	1.25	2.5	750-1000	—
Paddy	Brown leaf spot	1.25	2.5	750-1000	—
Coconut	Bud rot	1.25	2.5	750-1000	—
Potato	Early blight	1.25	2.5	750-1000	—
	Late blight	1.25	2.5	750-1000	—
Tea	Blister blight	0.21	0.42	175	—
	Black rot	0.30	0.60	125	—
	Red rust	0.30	0.60	125	—
Tobacco	Frog eye leaf	1.25	2.5	750-1000	—
	Black shank	1.25	2.5	750-1000	—
	Downy mildew	1.25	2.5	750-1000	—
Tomato	Early blight	1.25	2.5	750-1000	—
	Late blight	1.25	2.5	750-1000	—
	Leaf spot	1.25	2.5	750-1000	—
Grapes	Downy mildew	1.25	2.5	750-1000	—

Time of Application : For the best results apply prophyllatically i.e. before disease attack plants, in rain weather spraying must be repeated at shorter intervals. **Direction of Use :** Knapsack sprayer, foot sprayer, compression knapsack sprayer, compression knapsack battery sprayer and ASPEE-HTP power sprayer. Do not use on fruit trees without addition of shafeners e.g. cotton seed oil to avoid leaf and scortch and re setting. **Precaution :** 1. Keep away from foodstuffs, empty foodstuff containers and animals food. 2. Avoid contact with mouth, eyes and skin. 3. Avoid inhalation the spray mist. Spray in the direction of wind. 4. Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not smoke, drink, eat and chew anything while spraying. 6. Wear full protective clothing while mixing and spraying. **Phytotoxicity :** The product is not phytotoxic when used as per field recommendation. **Symptoms of Poisoning :** Vomiting, stomach ache, diarrhoea, metallic taste in mouth, headache, cold sweat, weak pulse may occur. **First Aid :** 1. If swallowed, induce vomiting by tickling the back of throat. Repeat it until the vomitus is clear. Do not induce vomiting if the patient is unconscious. 2. If clothing and skin are contaminated, remove the clothes and wash the contaminated skin with copious amount of soap and water. 3. If eyes are contaiminated, flush with plenty of saline/clean water for about 10 to 15 minutes. 4. If inhaled, remove the patient to fresh air. **Antidote :** Empty stomach by gastric lavage with milk or perferably sol. of Potassium Ferrocyanide. Administer egg white and other demulscents. Maintain electrolyte and fluid balance Morphine and Pethidine may be given to control pain. If symptoms persists, give dimercaprol or penicillamine. Pencillamine may be given in the dose of 10-40 mg/kg/day (max. 1-2 gm/day divided into four doses) for five days. Dimercaprol is given in the dose of 3mg/kg every four hours for first four days and 2 mg/kg every 12 hours for a total of 10 days by intravenous route. Give within first four hours of poisoning to obtain maximum benefit. **Disposal of used Container :** 1. It shall be the duty of manufacturers, formulators of fungicide and operators to dispose packages or surplus materials and washings from the machines and containers shall be disposed off in a safe manner, so as to prevent environmental or water pollution. 2. The used packages shall not be left outside to prevent their re-use. 3. Packages shall be broken and burried away from habitation. **Storage Conditions :** 1. The packages containing the fungicide shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles of or shall be kept in separate almirahs under lock and key depend upon the quantity and nature of the fungicide. 2. The rooms or premises meant for storing the fungicide shall be well-lit and ventilated and of sufficient dimensions. **Chemical Composition :** Copper Oxychloride Tech. (Min purity 57% Cu content) 85.00 % w/w, Dispersing agent Alkyl napthyl sulphonate 2.00 % w/w, Wetting agent Alkyl aryl sulphonate 2.00 % w/w, Sticking agent Carboxy methyl cellulose 3.00 % w/w, China/Lavigated Clay 8.00 % w/w, **Total : 100.00 % w/w**

ENGLISH