Hogger®
DINOTEFURAN 70% WG
(Systemic Insecticide)
For Agriculture Use Only

Dinotefuran 70% WG is water dispersible granule formulation which is systemic insecticide.

Caution: 1. Product is toxic to honey bees so do not spray during active honeybees foraging period of the day. 2. Not to be used on crops other than those prescribed on label and leaflets. 3. This product is weakly sensitive to the skin.

Chemical composition

Ingredients	Content (%) (w/w)
Dinotefuran A.I.	70.00
Modified polymeric anionic dispersing agent	4.00
Aromatic polymeric anionic dispersing agent	4.00
Sulfonate type anionic wetting agent	1.00
Polymeric binding agent	1.00
Mineral Powder	Q.S. to make 100
Total	**100% w/w**

Dosage, Crop, Pest Group, Direction for use and PHI:

Crop	Pests Name	Dosage/Ha			PHI (In days)
		a.i. (g)	Formulation (gm/ha)	Dilution in Water (Litre)	
Cotton	Aphids, Whitefly, Leaf hopper	61.2	87	500	17
Brinjal	Jassids, Aphids, Whitefly	61.2	87	500	7
Rice	Brown plant hopper, White backed plant hopper, Green leaf hopper	61.6	88	500	32

Time of application and crop stage: Apply as soon as the pest population reaches at Economic Threshold Level (ETL).

Weather conditions: Avoid applications under high wind and heavy rains forecasted.

Soil: This is foliar application insecticide. So, hardly have any relation to soil.

Water: Clean water to be used for spray.

Application timing: Should be applied preferably in the morning and evening.

Application technique, equipment type, nozzle type: The product can be sprayed with High and low volume sprayers. It can be applied by manual and tractor mounted Sprayer equipped with hollow cone nozzle using sufficient quantity of water to ensure thorough coverage.

Instruction for mixing: Shake the bottle well before use. Measure out requisite quantity of the premix insecticide, add to it a small quantity of water. Stir thoroughly using a wooden stick. Add the remaining quantity of water as specified with thorough agitation to form final stock solution.

Re-entry period: Allow entry into treated areas only after 24 hrs.

Frequency including maximum number of sprays: Maximum 2 sprays depending upon pest pressure.

Stages during which insecticide should not be applied on any crop: No restriction for crop stage. Follow the PHI recommendation for each crop.

Usage of Pesticides in confined area: The product should be used as per the recommendation table.

Phytotoxicity: The product is not phytotoxic when used as per field recommendation.

Storage Conditions: 1. The package containing the insecticide shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles particularly articles of food or shall be kept in separate almirahs under lock and key depending upon the quantity and nature of the insecticide. 2. The rooms or premises meant for storing the insecticide should be well built dry, well - lit and ventilated and of sufficient dimension to avoid contamination by vapour.

Safety Precautions: 1. Keep away from food and feedstuff. 2. Avoid contact with skin and eyes. 3. Avoid inhalation of the spray mist. 4. Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not smoke, drink, eat and chew anything while spraying.

Symptoms of Poisoning: Hypoactivity, staggered gait, Prostration, Miosis, Lacrimation, Excessive Salivation, Tachypnea, Dyspnoea, Convulsion & Tremors & soft stool, weak sensitizer.

First Aid: If ingested: Seek the medical advice at the earliest. If person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induced vomiting until and unless desired by attending physician. **If inhaled:** Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, preferably with mouth to mouth breathing. Consult a physician. **In case of skin contact:** Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All tile contaminated clothes should be segregated and thoroughly washed with soap and water separately before use. **In case of eye contact:** Rinse gently with plenty of water at least for 15 minutes. If pain, irritation, redness or photo phobia persists. Consult eye specialist.

Advice to Physician (Antidote): No specific antidote is known, treat symptomatically.

Warning: Dangerous to reuse empty containers.

Disposal of Used Containers: 1. It shall be the duty of manufacturer, formulators of insecticides and operators to dispose off the washings and surplus materials in a safe manner so as to prevent environmental or water pollution. 2. The used packages shall not be left outside to prevent their reuse. 3. The packages shall be broken and buried away from habitation.

Manufactured by: ***PI Industries Ltd***
Regd. Office: Udaisagar Road, Udaipur-313001 (Rajasthan)
Unit 2: Plot No. 237, G.I.D.C. Industrial Estate, NH-8, Dist.: Bharuch, Panoli-394116, Gujarat
Unit 3: Plot No. 3133 to 3139 and others, G.I.D.C., Dist.: Bharuch, Panoli-394116, Gujarat
AN ISO 9001, 14001, 45001 & 27001

Marketed by: Indofil Industries Limited,
Regd. Office : Kalpataru Square, 4th Floor, Kondivita Road,
Off Andheri-Kurla Road, Andheri (East), Mumbai - 400 059

हॉगर
डिनोटेफुरान ७०% डब्ल्यू.जी.
(अंतरप्रवाही कीटनाशक)
केवल कृषि उपयोग के लिए

AN ISO 9001, 14001, 45001 & 27001

હોગ્ગર
ડિનોટેફુરાન 70% ડબ્લ્યુ.જી.
(આંતરપ્રવાહી જંતુનાશક)
માત્ર કૃષિ ઉપયોગ માટે

AN ISO 9001, 14001, 45001 & 27001

हॉग्गर
डायनोटोफ्युरॉन 70% डब्ल्यू.जी.
(आंतरप्रवाही कीटकनाशक)
फक्त कृषी वापरासाठी

AN ISO 9001, 14001, 45001 & 27001

హోగర్
డైనోటెఫ్యురాన్ 70% డబ్ల్యూజీ

AN ISO 9001, 14001, 45001 & 27001

ஹாக்கர்
டைனோடெஃப்யுரான் 70% WG

INSTRUCTION FOR USE

Hogger®
DINOTEFURAN 70% WG
(Systemic Insecticide)
For Agriculture Use Only

हॉगर

CUT HERE FOR DIRECTIONS FOR USE.

Manufactured by:
PI Industries Ltd

Marketed by:
Indofil Industries Limited,
Regd. Office: Kalpataru Square, 4th Floor, Kondivita Road, Off Andheri - Kurla Road, Andheri (East), Mumbai- 400 059.

BOOKLET PLACE HERE

BASE LABEL

ಹಾಗರ್
ಡಿನೋಟೆಫುರನ್ 70% ಡಬ್ಲ್ಯೂಜಿ
(ಸಂಪರ್ಕ ಮತ್ತು ಅಂತರವ್ಯಾಪಿ ಕೀಟನಾಶಕ)
ಕೃಷಿ ಬಳಕೆಗೆ ಮಾತ್ರ

AN ISO 9001, 14001, 45001 & 27001

ഹോഗ്ഗർ
ഡൈനോറ്റെഫൂരാൻ 70% ഡബ്ലിയുജി
(സമ്പർക്ക ആന്തരപ്രവാഹ പ്രാണിനാശിനി)
കാർഷിക ഉപയോഗത്തിനുവേണ്ടി മാത്രം

AN ISO 9001, 14001, 45001 & 27001

ਹੋਗਰ
ਡਾਇਨੋਟੇਫੁਰਾਨ 70% ਡਬਲਿਊ.ਜੀ.
(ਅੰਤਰਪ੍ਰਵਾਹੀ ਕੀਟਨਾਸ਼ਕ)
ਸਿਰਫ਼ ਖੇਤੀਬਾੜੀ ਵਰਤੋਂ ਲਈ

AN ISO 9001, 14001, 45001 & 27001

হোগার
ডাইনোটিফুরান ৭০% ডাবলুজি
(অন্তর্বাহী কীটনাশক)
শুধুমাত্র কৃষিকাজের জন্য ব্যবহার্য

AN ISO 9001, 14001, 45001 & 27001

ହଗର
ଡାଇନୋଟେଫୁରନ୍ ୭୦% ଡବ୍ଲ୍ୟୁଜି
(ସର୍ବଭେଦୀ କୀଟନାଶକ)
କେବଳ କୃଷି ପାଇଁ ବ୍ୟବହାର ନିମନ୍ତେ

AN ISO 9001, 14001, 45001 & 27001

হ'গাৰ
ডিনোটফুৰান 70% ডব্লিউজি
(চিষ্টেমিক কীটনাশক)
কেৱল কৃষিমূলক ব্যৱহাৰৰ বাবে