Mukaam®

DODINE 65% WP

Contact Fungicide

Chemical Composition : M/M

Dodine (A.I.) (98% min. purity)	65.5%
Suspending agent (Colloidal silica)	5.00%
Wetting agent (Alkyl aryl Sulphonate type)	5.00%
Inert carrier (Kaolin)	24.5%
	100.00

Dodine 65% WP is an effective fungicide for the control of scab diseases of apple. It has a prolonged effect and it protects as well as cures the disease.

Recommendation:-

Crop	Common name of the disease	a.i. %	Dosage per tree: Formulation in %	Dosage per tree: Diluted in water Ltr. per tree	Waiting Period
1	2	3	4	5	6
Apple	scab	0.05 – 0.1	0.075%	10	21 days

Precautionary Note: 1) Should not be sprayed during flowering. 2) Should not be used during frost at temperature near 0°

Method of Application and Equipment's for use: The crop should be well sprayed with this formulation properly diluted in water. First mix the required quantity of Dodine 65% WP in a small volume of water to make thin paste and then add the remaining quantity of water with vigorous stirring. Use a stick or a rod for stirring during the preparation for the mixture. The above recommended dosage is for high volume spray. Use motorised or manually operated high volume sprayers like rocking sprayer or knapsack sprayer hand compression sprayer or boot sprayer by using the volume of water as indicated above.

Toxicity :

Acute Oral Ld 50 (Rat) : 1000 mg/kg

Acute Dermal LD50 (Rabbit) : 1500 mg/kg

Symptoms of Poisoning: Irritation of gastro-intestinal tract with muscle twitching and gastro esophaga spasms and diarrhea, eczema caused by photo sensitrilization.

First – Aid: If the skin has been contaminated, wash thoroughly with soap and water. If ingested make patient vomit. Call physician and treat symptomatically. If the eyes are affected, wash with plenty of water.

Antidote: No specific antidote, Treat symptomatically.

Precautions: Storage: Store away from reach of children and domestic. The packages containing the fungicides shall be stored in original packing in separate rooms or premises away from rooms or premises used for storing foodstuffs and fodder in a premises meant for storing the fungicides which shall be well built, ventilated and of sufficient dimensions.

Transportation: It should be transported in such a way as not to come in direct contact with foodstuff and animal feed. If found to have leaked out in transport or storage, owner should take such measures urgently to prevent poisoning or pollution.

Mixing: Use a stick or rod for stirring during the preparation of spray mixture. Do not use hands.

Spraying: Avoid oral contact with the fungicide. Do not smoke handle or eat food while spraying and avoid inhalation of spray mist. Spray only in the direction of wind currents and not against so as to avoid spray drifts setting of body. Wear hat, face shield, cotton overalls and shoes.

Post Spraying: Wash hands and contaminated parts of the body well with soap and plenty of water after application. Clean sprayer thoroughly with water after completion of work.

Limitations for use: Do not contaminate ponds or streams or ditches with the chemical used containers. Do not treat food grains, seeds or feed meant for consumption of man or animals.

Disposal of Containers, washing etc.: Packages, surplus materials, washings from the machine etc. should be disposed off in a safe manner so as to prevent environmental or water pollution and contamination of animal feeds. Bury containers after breaking the same 50 cm, below soil surface where there is no underground water source. Never reuse containers for storing food or water. The packages shall not be left outside to prevent their reuse.

English

मुकाम डोडीन ६५% घुलनशील पाऊडर

स्पर्शजन्य फफूंदीनाशक

रासायनिक संयोजक: मा/मा

डोडीन टेक्निकल (९८% न्यूनतम शुद्धता)	६५.५०%
सस्पेंडिंग एजंट (कोलायडल सिलिका)	५.००%
वैटिंग एजंट (एलकाइल एराइल सल्फोनेट टाइप)	५.००%
अक्रिय वाहक (कायोलिन)	२४.५०%
	१००.००

डोडीन ६५% घुलनशील पाऊडर सेबो की पामा रोग के लिए एक असरदार फफूंदीनाशक है। इसका स्थिर (लम्बा) असर रोगों से बचाता व ठीक करता है।

प्रयोग की विधि:

फसल	रोगो का साधारण नाम	सक्रिय तत्व (%)	मात्रा प्रति वृक्ष: संयोजन (%)	मात्रा प्रति वृक्ष: पानी की मात्रा (लि. प्रति वृक्ष)	अंतिम छिड़काव और कटाई तक इंतजार दिनों में
१	२	३	४	५	६
सेब	पामा	०.०५ – ०.१	०.०७५%	१०	२१ दिन

सावधानियाँ: १) फूल खिलने के समय छिड़काव न करे। २) पाला गिरने के समय या कम तापमान 0° के करीब हो तो छिड़काव न करे।

छिड़काव की विधी और यन्त्र: संयोजन को अच्छि तरह पानी में मिलाकर फसल पर इसका अच्छा छिड़काव करना चाहिए। पहले डोडीन ६५% डब्ल्यू पी को थोडे पानी में मिलाकर एवं पेस्ट बनाये और इसे बाकी पानी में अच्छी तरह घोलिए। मिलाई का कार्य छड़ी से करें। ऊपर दी हुई मात्रा हाई वाल्यूम स्प्रेयर के लिए है। मानव हाथ से चलाई गई हाई वाल्यूम स्प्रेयर में दी गयी पानी की मात्रा इस्तेमाल करे।

जहरीलापन :

तीव्र मौलिक एल्डी – ५० (चुहे) : १००० मि.ग्रा./कि.ग्रा.

तीव्र त्वचा एल्डी – ५० (खरगोश) : १५०० मि.ग्रा./कि.ग्रा.

विष के लक्षण: गेस्ट्रो इनटीस्टीनल मे खारिस, गैस्ट्रो ऐसीफेज व सैनीसीलाफन में एक्जीमा

प्राथमिक उपचार: दूषित त्वचा को भरपूर पानी और साबुन से धो डालिए। यदी निगल लिया हो तो उल्टी कराने की कोशिश कीजिए। आखों में जाने से अच्छी तरह स्वच्छ पानी से धोइये। डाक्टर को बुलाइये और लक्षणानुसार इलाज कीजिए।

औषध उपचार: कोई खास विषनाशक नही है। लक्षण के अनुसार इलाज करें।

सावधानियां: संग्रह – बच्चों और पशुओं से दूर रखे। पैकेज (फफूंदीनाशक) को असली पैकिंग में अलग कमरे में रखे जो सूखा एवं हवादार और बडे आकार का हो। इसे खाद्य पदार्थ व चारे से दूर खाली जगह पर रखे।

मिश्रण: मिलाई के लिए छडी का इस्तेमाल करे, हाथों से न करे।

छिड़काव: दवा को मुँह से दूर रखें। छिड़काव के समय खान–पान न करे। हवा के रूख में ही छिड़काव करे। छिड़काव के समय टोपी या मास्क एप्रेन व जूते पहने।

छिड़काव के बाद: हाथ व खुली चर्म को साबुन व पानी से धो लिजिए। स्प्रेयर को धोकर रखें।

निषेध: नाले, तालाब व नदी को दवा व खाली डिब्बे से दुषित न करे, और खाद्य पदार्थ का उपचार न करे।

खाली डिब्बों का नष्टिकरण: खाली डिब्बे या बची मात्रा का ऐसी जगह निकाश करे जिससे वातावरण पानी या चारा दूषित न हो। खाली डिब्बों को पृथ्वी में ५० से.मी. नीचे गाड़ दे जहाँ पानी न हो। इसमें खाद्य पदार्थ को न रखें। खाली डिब्बों को बाहर न छोड़े ताकि दुबारा प्रयोग न हो सके।

HINDI

Powered by IndoLife® Super Specialities

DODINE 65% WP

Mukaam®

CONTACT FUNGICIDE

डोडीन ६५% घुलनशील पाऊडर

मुकाम

स्पर्शजन्य फफूंदीनाशक

Manufactured & Marketed by:
Indofil Industries Limited,
Regd. Office : Kalpataru Square, 4th Floor, Kondivita Road, Off Andheri-Kurla Road, Andheri (East), Mumbai - 400 059

उत्पादक एवं विक्रेता :
इंडोफिल इण्डस्ट्रीज लिमिटेड,
रजि.ऑफिस : कल्पतरू स्क्वेअर, ४थी मंजिल, कोन्डीविटा रोड, ऑफ अन्धेरी–कुर्ला रोड, अन्धेरी (पूर्व), मुंबई–४०० ०५९

Factory :
Unit C - D2/CH12, GIDC Estate Dahej, Tal. Vagra, Dist. Bharuch -392130, Gujarat. India,
Unit G - Plot No. 2201, 2202, 2336, 2337, G.I.D.C. Panoli, Tal. - Ankleshwar, Dist.- Bharuch, Gujarat - 394116

फैक्टरी :
युनिट सी – डी२/सीएच१२, जीआयडीसी इस्टेट दहेज, ता. वाग्रा, जि. भरुच–३९२१३०, गुजरात. भारत,
युनिट जी – प्लॉट नं. २२०१, २२०२, २३३६, २३३७, जी.आय.डी.सी. पानोली, ता. – अंकलेश्वर, जि.– भरूच, गुजरात – ३९४११६

For identification of Factory please see first Alphabet of Batch No
फैक्टरी की पहचान के लिए बैच नंबर का पहला अक्षर देखे

®-Registered Trademark of INDOFIL INDUSTRIES LIMITED, Mumbai, India.

For any complaint contact Customer Care Cell at Indofil Industries Limited, Kalpataru Square, 4th Floor, Kondivita Road, Off Andheri-Kurla Road, Andheri (East), Mumbai - 400 059. Toll Free No. : 1800-120-003-004, email : customercare@indofil.com

Manufactured & Marketed by :

INDOFIL INDUSTRIES LIMITED

Regd. Office : Kalpataru Square, 4th Floor, Kondivita Road, Off Andheri-Kurla Road, Andheri (East), Mumbai - 400 059

11.22.V2